

References Cited

- Allen, C.R., 1986, Seismological and paleoseismological techniques of research in active tectonics, *in* Active tectonics: Washington, D.C., National Academy Press, p. 148–154.
- Anderson, L.W., and Klinger, R.E., 1996a, Evaluation and characterization of Quaternary faulting—Bare Mountain fault, Nye County, Nevada: U.S. Bureau of Reclamation Seismotectonic Report 96–5, 78 p.
- Anderson, L.W., and Klinger, R.E., 1996b, The Beatty scarp in Nye County, Nevada—an important Late Quaternary morphologic datum: Seismological Society of America Bulletin, v. 86, no. 5, p. 1650–1654.
- Anderson, R.E., Crone, A.J., Machette, M.N., Bradley, L.A., and Diehl, S.F., 1995, Characterization of Quaternary and suspected Quaternary faults, Amargosa area, Nevada and California: U.S. Geological Survey Open-File Report 95–613, 41 p.
- Barnes, Harley, Ekren, E.B., Rodgers, C.L., and Hedlund, D.C., 1982, Geologic and tectonic maps of the Mercury quadrangle, Nye and Clark Counties, Nevada: U.S. Geological Survey Miscellaneous Investigations Series Map I-1197, scale 1:24,000.
- Birkeland, P.W., 1984, Soils and geomorphology: New York, Oxford University Press, 372 p.
- Birkeland, P.W., Machette, M.N., and Haller, K.M., 1991, Soils as a tool for applied Quaternary geology: Utah Geological and Mineral Survey Miscellaneous Publication 91–3, 63 p.
- Brocher, T.M., Hunter, W.C., and Langenheim, V.E., 1998, Implications of seismic reflection and potential field geophysical data on the structural framework of the Yucca Mountain–Crater Flat region, Nevada: Geological Society of America Bulletin, v. 100, no. 8, p. 947–971.
- Bucknam, R.C., and Anderson, R.E., 1979, Estimation of fault-scarp ages from a scarp-height-slope-angle relationship: Geology, v. 7, no. 1, p. 11–14.
- Buesch, D.C., Spengler, R.W., Moyer, T.C., and Geslin, J.K., 1996, Proposed stratigraphic nomenclature and macroscopic identification of lithostratigraphic units of the Paintbrush Group exposed at Yucca Mountain, Nevada: U.S. Geological Survey Open-File Report 94–469, 47 p.
- Bull, W.B., 1991, Geomorphic responses to climate change: New York, Oxford University Press, 326 p.
- Bull, W.B., and Ku, T.L., 1975, Age dating of the Late Cenozoic deposits in the vicinity of the Vidal nuclear generating station site: Southern California Edison Co., app. 2.5G, 41 p.
- Carr, W.J., 1992, Structural model for western Midway Valley based on RF drillhole data and bedrock outcrops, *in* Gibson, J.D., Swan, F.H., Wesling, J.R., Bullard, T.F., Perman, R.C., Angell, M.M., and DiSilvestro, L.A., Summary and evaluation of existing geological and geophysical data near prospective surface facilities in Midway Valley, Yucca Mountain Project: Albuquerque, N.Mex., Sandia National Laboratories Report SAND 90–2491, 94 p.
- Christiansen, R.L., and Lipman, P.W., 1965, Geologic map of the Topopah Spring NW quadrangle, Nye County, Nevada: U.S. Geological Survey Geologic Quadrangle Map GQ–444, scale 1:24,000.
- Coe, J.A., Oswald, J.A., Vadurro, Giovanni, Paces, J.B., Ludwig, K.R., Widmann, Beth, Menges, C.M., Lundstrom, S.C., and deFontaine, C.S., 1995, Paleoseismic investigation of the Fatigue Wash fault, Crater Flat, Nye County, Nevada [abs.]: Eos (American Geophysical Union Transactions), v. 76, no. 46, p. 362.
- Coe, J.A., Taylor, E.M., and Schilling, S.P., 1991, Close-range geophotogrammetric mapping of trench walls using multi-model stereo restitution software: American Society for Photogrammetry and Remote Sensing Annual Meeting, 1991, Technical Papers, v. 5, p. 30–43.
- Coppersmith, K.J., 1991, Seismic source characterization for engineering seismic hazard analysis: International Conference on Seismic Zonation, 4th, Proceedings, v. 1, p. 3–60.
- Cornwall, H.R., and Kleinhampl, F.J., 1961, Geology of the Bare Mountain quadrangle, Nevada: U.S. Geological Survey Geologic Quadrangle Map GQ–157, scale 1:62,500.
- Crone, A.J., 1983, Amount of displacement and estimated age of a Holocene surface faulting event, eastern Great Basin, Millard County, Utah, *in* Crone, A.J., ed., Paleoseismicity along the Wasatch front and adjacent areas, central Utah: Utah Geological and Mineral Survey Special Studies 62, p. 49–55.
- Crowe, B.M., Perry, F.V., Geissman, J.W., McFadden, L.D., Wells, S.G., Murrell, M.T., Poets, Jane, Valentine, G.A., Bowker, L.M., and Finnegan, K.P., 1995, Status of volcanism studies for Yucca Mountain site characterization project: Los Alamos, N.Mex., Los Alamos National Laboratory Report LA–12908–MS, 378 p.
- Day, W.C., Dickerson, R.P., Potter, C.J., Sweetkind, D.S., San Juan, C.A., Drake, R.M., II, and Fridrich, C.J., 1998a, Bedrock geologic map of the Yucca Mountain area, Nye County, Nevada: U.S. Geological Survey Geologic Investigations Series Map I–2627, scale 1:24,000.
- Day, W.C., Potter, C.J., Sweetkind, D.C., Dickerson, R.P., and San Juan, C.A., 1998b, Bedrock geologic map of the central block area, Yucca Mountain, Nye County, Nevada: U.S. Geological Survey Miscellaneous Investigations Series Map I–2601, scale 1:6,000.
- dePolo, C.M., 1994, The maximum background earthquake for the Basin and Range province, western North America:

- Seismological Society of America Bulletin, v. 84, no. 2, p. 466–472.
- dePolo, C.M. and Slemmons, D.B., 1990, Estimation of earthquake size for seismic hazards, *in* Krinitzky, E.L., and Slemmons, D.B., eds., Neotectonics in earthquake evaluation: Geological Society of America Reviews in Engineering Geology, v. 8, p. 1–28.
- Dickerson, R.P., and Drake, R.M., II, 1998, Geologic map of the Paintbrush Canyon area, Yucca Mountain, Nevada: U.S. Geological Survey Open-File Report 97–783, 25 p., scale 1:6,000.
- Dohrenwend, J.C., Menges, C.M., Schell, B.A., and Moring, B.C., 1991, Reconnaissance photogeologic map of young faults in the Las Vegas 1°×2° quadrangle, Nevada, California, and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF–2182, scale 1:250,000.
- Fairer, G.M., Whitney, J.W., and Coe, J.A., 1989, A close-range photogrammetric technique for mapping neotectonic features in trenches: Association of Engineering Geologists Bulletin, v. 26, no. 4, p. 521–530.
- Faulds, J.E., Bell, J.W., Feuerbach, D.L., and Ramelli, A.R., 1994, Geologic map of the Crater Flat area: Nevada: Nevada Bureau of Mines and Geology Map 101, 4 p., 2 sheets, scale 1:24,000.
- Ferrill, D.A., Stamatakis, J.A., Jones, S.M., Rahe, Bret, McKague, H.L., Martin, R.H., and Morris, A.P., 1996, Quaternary slip history of the Bare Mountain fault (Nevada) from the morphology and distribution of alluvial fan deposits: Geology, v. 24, no. 6, p. 559–562.
- Fitterman, D.V., 1982, Magnetometric resistivity survey near Fortymile Wash, Nevada Test Site, Nevada: U.S. Geological Survey Open-File Report 82–401, 27 p.
- Forman, S.L., Jackson, M.E., and McCalpin, J.P., 1988, The potential of using thermoluminescence to date buried soils developed on colluvial and fluvial sediments from Utah and Colorado, U.S.A.; preliminary results: Quaternary Science Reviews, v. 7, no. 3–4, p. 287–293.
- Frischknecht, F.C., and Raab, P.V., 1984, Time-domain electromagnetic soundings at the Nevada Test Site, Nevada: Geophysics, v. 49, no. 7, p. 981–992.
- Frizzell, V.A., Jr., and Shulters, Jacqueline, 1990, Geologic map of the Nevada Test Site, southern Nevada: U.S. Geological Survey Miscellaneous Investigations Series Map I–2046, scale 1:100,000.
- Frizzell, V.A., Jr., and Zoback, M.L., 1987, Stress orientation determined from fault slip data in the Hampel Wash area, Nevada, and its relation to the contemporary stress field: Tectonics, v. 6, no. 2, p. 89–98.
- Gibson, J.D., Swan, F.H., Wesling, J.R., Bullard, T.F., Perman, R.C., Angell, M.M., and DiSilvestro, L.A., 1992, Summary and evaluation of existing geological and geophysical data near prospective surface facilities in Midway Valley, Yucca Mountain Project, Nye County, Nevada: Albuquerque, N.Mex., Sandia National Laboratories Report SAND 90–2491, 171 p.
- Gile, L.H., Peterson, F.F., and Grossman, R.B., 1966, Morphological and genetic sequences of carbonate accumulation in desert soils: Soil Science, v. 101, no. 5, p. 347–360.
- Hanks, T.C., and Andrews, D.J., 1989, Effect of far-field slope on morphologic dating of scarplike landforms: Journal of Geophysical Research, v. 94, no. B1, p. 565–573.
- Harden, J.W., Slate, J.L., Lamothe, P.J., Chadwick, O.A., Pendall, E.G., and Gillespie, A.R., 1991a, Soil formation on the Trail Canyon alluvial fan, Fish Lake Valley, Nevada: U.S. Geological Survey Open-File Report 91–291, 22 p.
- Harden, J.W., Taylor, E.M., Hill, C.L., Mark, R.K., McFadden, L.D., Reheis, M.C., Sowers, J.M., and Wells, S.G., 1991b, Rates of soil development from four soil chronosequences in the southern Great Basin: Quaternary Research, v. 35, no. 3, pt. 1, p. 383–399.
- Harmsen, S.C., 1994, The Little Skull Mountain Nevada, earthquake of 29 June 1992; aftershock focal mechanisms and tectonic stress field implications: Seismological Society of America Bulletin, v. 84, no. 5, p. 1484–1505.
- Harrington, C.D., Whitney, J.W., Jull, A.J.T., and Phillips, William., 2000, Cosmogenic dating and analysis of scarps along the Solitario Canyon and Windy Wash faults, Yucca Mountain, Nevada: U.S. Geological Survey Digital Data Series 58, 9 p.
- Hatheway, A.W., and Leighton, F.B., 1979, Trenching as an exploratory method, *in* Hatheway, A.W., and McClure, C.R., Jr., eds., Geology in the siting of nuclear power plants: Geological Society of America Reviews of Engineering Geology, v. 4, p. 169–195.
- Heizler, M.T., Perry, F.V., Crowe, B.M., Peters, Lisa, and Appelt, Robert, 1999, The age of the Lathrop Wells volcanic center; an $^{40}\text{Ar}/^{39}\text{Ar}$ dating investigation: Journal of Geophysical Research, v. 104, no. B1, p. 767–804.
- Hinrichs, E.N., 1968, Geologic map of the Camp Desert Rock quadrangle, Nye County, Nevada: U.S. Geological Survey Geologic Quadrangle Map GQ–726, scale 1:24,000.
- Hoover, D.L., 1989, Preliminary description of Quaternary and late Pliocene surficial deposits at Yucca Mountain and vicinity, Nye County, Nevada: U.S. Geological Survey Open-File Report 89–359, 45 p.
- Hoover, D.L., and Morrison, J.N., 1980, Geology of the Syncline Ridge area related to nuclear waste disposal, Nevada Test Site, Nye County, Nevada: U.S. Geological Survey Open-File Report 80–942, 70 p.

- Hoover, D.L., Swadley, W.C., and Gordon, A.J., 1981, Correlation characteristics of surficial deposits with a description of surficial stratigraphy in the Nevada Test Site region: U.S. Geological Survey Open-File Report 81-512, 27 p.
- Hopkins, D.M., 1975, Time-stratigraphic nomenclature for the Holocene epoch: *Geoderma*, v. 14, no. 1, p. 2.
- Imbrie, John, Hays, J.D., Martinson, D.G., McIntyre, Andrew, Mix, A.C., Morley, J.J., Pisias, N.G., Prell, W.L., and Shackleton, N.J., 1984, The orbital theory of Pleistocene climate; support from a revised chronology of the Marine O record, *in* Berger, A.L., and others, eds., *Milankovitch and climate; understanding the response to astronomical forcing*: Dordrecht, Reidel, v. 1, p. 269-305.
- Izett, G.A., Obradovich, J.D., and Mehnert, H.H., 1988, The Bishop Ash Bed (middle Pleistocene) and some older (Pliocene and Pleistocene) chemically and mineralogically similar ash beds in California, Nevada, and Utah: U.S. Geological Survey Bulletin 1675, 37 p.
- Langenheim, V.E., and Ponce, D.A., 1994, Gravity and magnetic investigations of Yucca Wash, southwest Nevada, *in* High level radioactive waste management: American Nuclear Society Annual International Conference, 5th, Las Vegas, Nev., 1994, Proceedings, v. 4, p. 2272-2278.
- Lipman, P.W., and McKay, E.J., 1965, Geologic map of the Topopah Spring SW quadrangle, Nye County, Nevada: U.S. Geological Survey Geologic Quadrangle Map GQ-439, scale 1:24,000.
- Lundstrom, S.C., Wesling, J.R., Swan, F.H., Taylor, E.M., and Whitney, J.R., 1993, Quaternary allostratigraphy of surficial deposit map units at Yucca Mountain, Nevada—a progress report [abs.]: Geological Society of America Abstracts with Programs, v. 25, no. 5, p. A112.
- Machette, M.N., 1985, Calcic soils of the southwestern United States, *in* Weide, D.L., ed., *Soils and Quaternary geology of the southwestern United States*: Geological Society of America Special Paper 203, p. 1-21.
- Machette, M.N., 1989, Slope-morphometric dating, *in* Forman, S.L., ed., *Dating methods applicable to Quaternary geologic studies in the western United States*: Utah Geological and Mineral Survey Miscellaneous Publication 89-7, p. 30-42.
- Machette, M.N., Personius, S.F., and Nelson, A.R., 1992, Paleoseismology of the Wasatch fault zone; a summary of recent investigations, interpretations, and conclusions: U.S. Geological Survey Professional Paper 1500-A, 71 p.
- McCalpin, J.P., 1996, *Paleoseismology*: San Diego, Calif., Academic Press, 588 p.
- McCalpin, J.P., Forman, S.L., and Lowe, Mike, 1994, Reevaluation of Holocene faulting at the Kaysville site, Weber segment of the Wasatch fault zone, Utah: *Tectonics*, v. 13, no. 1, p. 1-16.
- McDonald, E.V., and McFadden, L.D., 1994, Quaternary stratigraphy of the Providence Mountains piedmont and preliminary age estimates and regional stratigraphic correlations of Quaternary deposits in the eastern Mojave Desert, California, *in* McGill, S.F., and Ross, T.M., eds., *Geological investigations of an active margin*: Geological Society of America, Cordilleran Section Fieldtrip Guidebook 8, p. 205-213.
- McFadden, L.D., and Weldon, R.J., III, 1987, Rates and processes of soil development on Quaternary terraces in Cajon Pass, California: *Geological Society of America Bulletin*, v. 98, no. 3, p. 280-293.
- McFadden, L.D., Wells, S.G., and Jercinovich, M.J., 1987, Influences of eolian and pedogenic processes on the origin and evolution of desert pavements: *Geology*, v. 15, no. 6, p. 504-508.
- Menges, C.M., Oswald, J.A., Coe, J.A., Lundstrom, S.C., Paces, J.B., Mahau, S.A., Widmann, B.L., and Murray, Michele, 1998, Paleoseismic investigations of Stagecoach Road fault, southeastern Yucca Mountain, Nye County, Nevada: U.S. Geological Survey Open-File Report 96-417, 71 p.
- Menges, C.M., Taylor, E.M., Vadurro, Giovanni, Oswald, J.A., Cress, Robert, Murray, Michele, Lundstrom, S.C., Paces, J.B., and Mahan, S.A., 1997, Logs and paleoseismic interpretations from trenches 14C and 14D on the Bow Ridge fault, northeastern Yucca Mountain, Nye County, Nevada: U.S. Geological Survey Miscellaneous Field Studies Map 2311.
- Menges, C.M., Wesling, J.R., Whitney, J.W., Swan, F.H., Coe, J.A., Thomas, A.P., and Oswald, J.A., 1994, Preliminary results of paleoseismic investigations of Quaternary faults on eastern Yucca Mountain, Nye County, Nevada, *in* High level radioactive waste management: American Nuclear Society Annual International Conference, 5th, Las Vegas, Nev., 1994, Proceedings, v. 4, p. 2373-2390.
- Monsen, S.A., Carr, M.D., Reheis, M.C., and Orkild, P.P., 1992, Geologic map of Bare Mountain, Nye County, Nevada: U.S. Geological Survey Miscellaneous Investigations Series Map I-2201, scale 1:24,000.
- Morrison, R.B., 1991, Introduction, *in* Morrison, R.B., ed., *Quaternary nonglacial geology—conterminous U.S.*, v. K-2 of *The geology of North America*: Boulder, Colo., Geological Society of America, p. 1-12.
- Muller, D.C., and Kibler, J.E., 1984, Preliminary analysis of geophysical logs from drill hole UE-25p#1, Yucca Mountain, Nye County, Nevada: U.S. Geological Survey Open-File Report 84-649, 14 p.
- Munsell Color Co., Inc., 1988, *Munsell soil color charts*: Baltimore.

- Munsell Color Co., Inc., 1992, Munsell soil color charts (revised ed.): Baltimore.
- Nash, D.B., 1980, Morphological dating of degraded normal fault scarps: *Journal of Geology*, v. 88, no. 3, p. 353–360.
- Nash, D.B., 1984, Morphologic dating of fluvial terrace scarps and fault scarps near West Yellowstone, Montana: *Geological Society of America Bulletin*, v. 95, no. 12, p. 1413–1424.
- Nash, D.B., 1986, Morphologic dating and modeling degradation of fault scarps, *in* Wallace, R.E., ed., *Active tectonics*: Washington, D.C., National Academy Press, p. 181–194.
- Neal, J.T., 1985, Location recommendation for surface facilities for prospective Yucca Mountain nuclear waste repository: Albuquerque, N.Mex., Sandia National Laboratories Report SAND 84–2015, 54 p.
- Neal, J.T., 1986, Preliminary validation of geology at site for repository surface facilities, Yucca Mountain, Nevada: Albuquerque, N.Mex., Sandia National Laboratories Report SAND 85–0815, 55 p.
- Nelson, A.R., 1992, Lithofacies analysis of colluvial sediments—an aid in interpreting the recent history of Quaternary normal faults in the Basin and Range province, western United States: *Journal of Sedimentary Petrology*, v. 62, no. 4, p. 607–621.
- North American Commission on Stratigraphic Nomenclature, 1983, North American stratigraphic code: *American Association of Petroleum Geologists Bulletin*, v. 67, no. 5, p. 841–875.
- O’Leary, D.W., 2000, Tectonic significance of the Rock Valley Fault Zone, Nevada Test Site: U.S. Geological Survey Digital Data Series 58, 13 p.
- O’Neill, M.J., Whitney, J.W., and Hudson, M.R., 1991, Photogeologic and kinematic analysis of lineaments at Yucca Mountain, Nevada—implications for strike-slip faulting and oroclinal bending: U.S. Geological Survey Open-File Report 91–623, 24 p.
- Paces, J.B., Menges, C.M., Widmann, Beth, Wesling, J.R., Bush, C.A., Futa, Kiyoto, Millard, H.T., Maat, P.B., and Whitney, J.W., 1994, U-series disequilibrium and thermoluminescence ages of paleosols associated with Quaternary faults, east side of Yucca Mountain, *in* High level radioactive waste management: American Nuclear Society Annual International Conference, 5th, Las Vegas, Nev., 1994, *Proceedings*, v. 4, p. 2391–2401.
- Pearthree, P.A., and Calvo, S.S., 1987, The Santa Rita fault zone—evidence for large magnitude earthquakes with very long recurrence intervals, Basin and Range Province of southeastern Arizona: *Seismological Society of America Bulletin*, v. 77, no. 1, p. 97–116.
- Peterman, Z.E., and Futa, Kiyoto, 1996, Geochemistry of core samples of the Tiva Canyon Tuff from drill hole UE–25 NRG#3, Yucca Mountain, Nevada: U.S. Geological Survey Open-File Report 95–325, 19 p.
- Peterson, F.F., Bell, J.W., Dorn, R.I., Ramelli, A.R., and Ku, T.L., 1995, Late Quaternary geomorphology and soils in Crater Flat, Yucca Mountain, southern Nevada: *Geological Society of America Bulletin*, v. 107, no. 4, p. 379–395.
- Piety, L.A., 1994, Compilation of known and suspected Quaternary faults within 100 km of Yucca Mountain, Nevada and California: U.S. Geological Survey Open-File Report 94–112, 32 p., 2 sheets, scale 1:250,000.
- Piety, L.A., and Anderson, L.W., 1991, The Horseshoe fault, evidence for prehistoric surface-rupturing earthquakes in central Arizona: *Arizona Geology*, v. 21, no. 3, p. 1, 4–8.
- Ponce, D.A., 1993, Geophysical investigations of concealed faults near Yucca Mountain, southwest Nevada, *in* High level radioactive waste management: American Nuclear Society Annual International Conference, 4th, Las Vegas, Nev., 1993, *Proceedings*, v. 1, p. 168–174.
- Ponce, D.A., and Langenheim, V.E., 1994, Preliminary gravity and magnetic models across Midway Valley and Yucca Wash, Yucca Mountain, Nevada: U.S. Geological Survey Open-File Report 94–572, 25 p.
- Poole, F.G., 1965, Geologic map of the Frenchman Flat quadrangle, Nye County, Nevada: U.S. Geological Survey Quadrangle Map GQ–456, scale 1:24,000.
- Potter, C.J., Dickerson, R.P., and Day, W.C., 1999, Nature and continuity of the Sundance fault, Yucca Mountain, Nevada: U.S. Geological Survey Open-File Report 98–266, 16 p., scale 1:2,400.
- Ramelli, A.R., Sawyer, T.L., Bell, J.W., Peterson, F.F., Dorn, R.I., and dePolo, C.M., 1989, Preliminary analysis of fault and fracture patterns at Yucca Mountain, southern Nevada, *in* FOCUS ‘89—Nuclear Waste Isolation in the Unsaturated Zone: American Nuclear Society Annual Meeting, Las Vegas, Nev., 1989, *Proceedings*, p. 336–343.
- Reheis, M.C., 1988, Preliminary study of Quaternary faulting on the east side of Bare Mountain, Nye County, Nevada, *in* Carr, M.D., and Yount, J.C., eds., *Geologic and hydrologic investigations of a potential nuclear waste disposal site at Yucca Mountain, southern Nevada*: U.S. Geological Survey Bulletin 1790, p. 103–111.
- Reheis, M.C., Harden, J.W., McFadden, L.D., and Shroba, R.R., 1989, Development rates of late Quaternary soils, Silver Lake Playa, California: *Soil Science Society of America Journal*, v. 53, no. 4, p. 1127–1140.
- Reheis, M.C., Sowers, J.M., Taylor, E.M., McFadden, L.D., and Harden, J.W., 1992, Morphology and genesis of carbonate soils on the Kyle Canyon fan, Nevada, U.S.A.: *Geoderma*, v. 52, no. 3–4, p. 303–342.

- Reiter, Leon, 1990, Earthquake hazard analysis; issues and insights: New York, Columbia University Press, 254 p.
- Rosholt, J.N., Bush, C.A., Carr, W.J., Hoover, D.L., Swadley, W.C., and Dooley, J.R., Jr., 1985, Uranium-trend dating of Quaternary deposits in the Nevada Test Site area, Nevada and California: U.S. Geological Survey Open-File Report 85-540, 72 p.
- Sarna-Wojcicki, A.M., Meyer, C.E., Wau, Elmira, and Soles, Stan, 1993, Age and correlation of tephra layers in Owens Lake drill core OL-92-1 and -2, *in* Smith, G.I., and Bischoff, J.L., eds., Core OL-92 from Owens Lake, south-east California: U.S. Geological Survey Open-File Report 93-683, 11 p.
- Sawyer, D.A., Fleck, R.J., Lanphere, M.A., Warren, R.G., Broxton, D.E., and Hudson, M.R., 1994, Episodic caldera volcanism in the Miocene southwestern Nevada volcanic field; revised stratigraphic framework, $^{40}\text{Ar}/^{39}\text{Ar}$ geochronology, and implications for magmatism and extension: Geological Society of America Bulletin, v. 106, no. 10, p. 1304-1318.
- Schwartz, D.P., 1988, Geologic characterization of seismic sources—moving into the 1990's, *in* von Thun, J.L., ed., Recent advances in ground-motion evaluation, v. 2 of Earthquake engineering and soil dynamics: American Society of Civil Engineers Geotechnical Special Publication 20, p. 1-42.
- Scott, R.B., 1990, Tectonic setting of Yucca Mountain, southwest Nevada, *in* Wernicke, B.P., ed., Basin and Range extensional tectonics near the latitude of Las Vegas, Nevada: Geological Society of America Memoir 176, p. 251-282.
- Scott, R.B., 1992, Preliminary geologic map of southern Yucca Mountain, Nye County, Nevada: U.S. Geological Survey Open-File Report 92-266, 28 p., scale 1:12,000.
- Scott, R.B., Bath, G.D., Flanigan, V.J., Hoover, D.B., Rosenbaum, J.G., and Spengler, R.W., 1984, Geological and geophysical evidence of structures in northwest-trending washes, Yucca Mountain, southern Nevada, and their possible significance to a nuclear waste repository in the unsaturated zone: U.S. Geological Survey Open-File Report 84-567, 23 p.
- Scott, R.B., and Bonk, Jerry, 1984, Preliminary geologic map of Yucca Mountain, Nye County, Nevada, with geologic sections: U.S. Geological Survey Open-File Report 84-494, 9 p., scale 1:12,000.
- Senterfit, R.M., Hoover, D.B., and Chornack, M.P., 1982, Resistivity sounding investigation by the Schlumberger method in the Yucca Mountain and Jackass Flats area, Nevada Test Site, Nevada: U.S. Geological Survey Open-File Report 82-1043, 38 p.
- Simonds, F.W., Whitney, J.W., Fox, K.F., Ramelli, A.R., Yount, J.C., Carr, M.D., Menges, C.M., Dickerson, R.P., and Scott, R.B., 1995, Map showing fault activity in the Yucca Mountain area, Nye County, Nevada: U.S. Geological Survey Miscellaneous Investigations Series Map I-2520, scale 1:24,000.
- Slate, J.L., 1991, Quaternary stratigraphy, geomorphology, and geochronology of alluvial fans, Fish Lake Valley, Nevada and California, *in* Reheis, M.C., Sarna-Wojcicki, A.M., Meyer, C.E., McKee, E.H., Slate, J.L., Burbank, D.M., Sawyer, T.L., and Pendall, E.G., Late Cenozoic stratigraphy and tectonics of Fish Lake Valley, Nevada and California—road log and contributions to the field trip guidebook, 1991 Pacific Cell of Friends of the Pleistocene: U.S. Geological Survey Open-File Report 91-290, p. 94-113.
- Smith, Christian, and Ross, H.P., 1982, Interpretation of resistivity and induced polarization profiles with severe topographic effects, Yucca Mountain area, Nevada Test Site, Nevada: U.S. Geological Survey Open-File Report 82-182, 82 p.
- Smith, K.D., and Brune, J.N., 1993, A sequence of very shallow earthquakes in the Rock Valley fault zone, southern Nevada Test Site [abs.]: Eos (American Geophysical Union Transactions), v. 74, no. 43, supp., p. 417.
- Smith, K.D., Shields, Gordon, and Brune, J.N., 2000, A sequence of very shallow earthquakes in the Rock Valley fault zone, southern Nevada Test Site: U.S. Geological Survey Digital Data Series 58, 11 p.
- Spaulding, W.G., and Graumlich, L.J., 1986, The last pluvial climatic episodes in the deserts of southwestern North America: Nature, v. 320, no. 6067, p. 441-444.
- Swadley, W.C., 1983, Map showing surficial geology of Lathrop Wells quadrangle, Nye County, Nevada: U.S. Geological Survey Map I-1361, scale 1:48,000.
- Swadley, W.C., and Carr, W.J., 1987, Geologic map of the Quaternary and Tertiary deposits of the Big Dune quadrangle, Nye County, Nevada and Inyo County, California: U.S. Geological Survey Map I-1767, scale 1:48,000.
- Swadley, W.C., and Hoover, D.L., 1983, Geology of faults exposed in trenches in Crater Flat, Nye County, Nevada: U.S. Geological Survey Open-File Report 83-608, 15 p.
- Swadley, W.C., and Hoover, D.L., 1989a, Geologic map of the surficial deposits of the Jackass Flats quadrangle, Nye County, Nevada: U.S. Geological Survey Miscellaneous Investigations Series Map I-1994, scale 1:24,000.
- Swadley, W.C., and Hoover, D.L., 1989b, Geologic map of the surficial deposits of the Topopah Spring quadrangle, Nye County, Nevada: U.S. Geological Survey Miscellaneous Investigations Series Map I-2018, scale 1:24,000.
- Swadley, W.C., Hoover, D.L., and Rosholt, J.N., 1984, Preliminary report on late Cenozoic faulting and stratigraphy in the vicinity of Yucca Mountain, Nye County, Nevada: U.S. Geological Survey Open-File Report 84-788, 42 p.

- Swadley, WC, and Huckins, H.E., 1989, Surficial geologic map of the Specter Range NW quadrangle, Nye County, Nevada: U.S. Geological Survey Miscellaneous Investigations Series Map I-1884, scale 1:24,000.
- Swadley, WC, and Huckins, H.E., 1990, Geologic map of the surficial deposits of the Skull Mountain quadrangle, Nye County, Nevada: U.S. Geological Survey Miscellaneous Investigations Series Map I-1972, scale 1:24,000.
- Swadley, WC, and Parrish, L.D., 1988, Surficial geologic map of the Bare Mountain quadrangle, Nye County, Nevada: U.S. Geological Survey Map I-1826, scale 1:48,000.
- Swan, F.W., Schwartz, D.P., and Cluff, L.S., 1980, Recurrence of moderate to large magnitude earthquakes produced by surface faulting on the Wasatch fault zone, Utah: *Seismological Society of America Bulletin*, v. 70, no. 5, p. 1431–1462.
- Swan, F.W., Wesling, J.R., Angell, M.M., Thomas, A.P., Whitney, J.W., and Gibson, J.D., 2001, Evaluation of the location and recency of faulting near prospective surface facilities in Midway Valley, Nye County, Nevada: U.S. Geological Survey Open-File Report 01–55, 66 p.
- Swan, F.H., Wesling, J.R., and Thomas, A.P., 1993, Paleoseismic investigations of the Paintbrush Canyon fault in southern Midway Valley, Yucca Mountain, Nevada: preliminary results [abs.]: *Geological Society of America Abstracts with Programs*, v. 25, no. 5, p. A153.
- Szabo, B.J., Carr, W.J., and Gottschall, W.C., 1981, Uranium-thorium dating of Quaternary accumulations in the Nevada Test Site region, southern Nevada: U.S. Geological Survey Open-File Report 81–119, 35 p.
- Taylor, E.M., 1986, Impact of time and climate on Quaternary soils in the Yucca Mountain area of the Nevada Test Site: Boulder, University of Colorado, M.S. thesis, 217 p.
- Taylor, E.M., and Huckins, H.E., 1995, Lithology, fault displacement, and origin of secondary calcium carbonate and opaline silica at trenches 14 and 14D on the Bow Ridge fault at Exile Hill, Nye County, Nevada: U.S. Geological Survey Open-File Report 93–477, 37 p.
- U.S. Department of Energy, 1988, Site characterization plan: Office of Civilian Radioactive Waste Management Report DOE/RW-0199.
- U.S. Geological Survey, 1984, A summary of geologic studies through January 1, 1983, of a potential high-level radioactive waste repository site at Yucca Mountain, southern Nye County, Nevada: Open-File Report 44–792, 103 p.
- van den Bogaard, Paul, and Schirnick, Carsten, 1995, $^{40}\text{Ar}/^{39}\text{Ar}$ laser probe ages of Bishop Tuff quartz phenocrysts substantiate long-lived silicic magma chamber at Long Valley, United States: *Geology*, v. 23, no. 8, p. 759–762.
- Wallace, R.E., 1977, Profiles and ages of young fault scarps, north-central Nevada: *Geological Society of America Bulletin*, v. 88, no. 9, p. 1267–1281.
- Wallace, R.E., 1980, Degradation of the Hebgen Lake fault scarps of 1959: *Geology*, v. 8, no. 5, p. 225–229.
- Wells, D.L., and Coppersmith, K.J., 1994, New empirical relationships among magnitude, rupture length, rupture width, rupture area, and surface displacement: *Seismological Society of America Bulletin*, v. 84, no. 4, p. 974–1002.
- Wells, S.G., McFadden, L.D., and Harden, J., 1990, Preliminary results of age estimations and regional correlations of Quaternary alluvial fans within the Mojave Desert in southern California, in Reynolds, R.E., Wells, S.G., and Brady, R.H., compilers, *At the end of the Mojave—Quaternary studies in the eastern Mojave Desert: Redlands, Calif., San Bernardino's County Museum Association*, p. 45–54.
- Wesling, J.R., Bullard, T.F., Swan, F.H., Perman, R.C., Angell, M.M., and Gibson, J.D., 1992, Preliminary mapping of surficial geology of Midway Valley, Yucca Mountain, Nye County, Nevada: Albuquerque, N.Mex., Sandia National Laboratories Report SAND 91–0607, 55 p., scale 1:6000.
- Whitney, J.W., and Berger, D.L., 2000, A 3.7 million-year offset rate on the Windy Wash fault at the south end of Yucca Mountain, Nevada: U.S. Geological Survey Digital Data Series 58, 9 p.
- Whitney, J.W., and Harrington, C.D., 1993, Relict colluvial boulder deposits as paleoclimate indicators in the Yucca Mountain region, southern Nevada: *Geological Society of America Bulletin*, v. 105, no. 8, p. 1008–1018.
- Whitney, J.W., and Muhs, D.R., 1991, Quaternary movement on the Paintbrush Canyon-Stagecoach Road fault system, Yucca Mountain, Nevada [abs.]: *Geological Society of America Abstracts with Program*, v. 23, no. 5, p. 119.
- Whitney, J.W., Shroba, R.R., Simonds, F.W., and Harding, S.T., 1986, Recurrent Quaternary movement on the Windy Wash fault, Nye County, Nevada [abs.]: *Geological Society of America Abstracts with Programs*, v. 18, no. 6, p. 787.
- Whitney, J.W., Swadley, WC, and Shroba, R.R., 1985, Middle Quaternary sand ramps in the southern Great Basin, California and Nevada [abs.]: *Geological Society of America Abstracts with Programs*, v. 17, no. 7, p. 750.
- Yount, J.C., Shroba, R.R., McMasters, C.R., Huckins, H.E., and Rodriguez, E.A., 1987, Trench logs from a strand of the Rock Valley fault system, Nevada Test Site, Nye County, Nevada: U.S. Geological Survey Miscellaneous Field Studies Map MF-1824.